

PRODUCT  
CATALOGUE

**exclusive**  
TILES

ATTRACTIVE  
STYLE FOR  
EVERY SPACE

**600  
x1200  
mm** Glazed  
vitrified  
tiles



## COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



EXCLUSIVE TILES  
FACTORY

01

## COMPANY STRENGTHS

04

High-end  
Technology  
Installed

1500

100%  
Satisfied  
Customers

30+

Export  
Countries

30,000

Production Capacity  
(Sq. Mts. Per Day)

04

Factories to Cater  
Wide Range of  
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

# INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



# TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.



MASTER  
PIECE OF  
CERAMIC  
CRAFTSMANSHIP

600X  
1200MM

Glazed  
Vitrified Tiles

## AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE  
[9MM] THICKNESS  
IN ALL SIZES

300  
x600  
mm

600  
x600  
mm

600  
x1200  
mm

200  
x1200  
mm

800  
x800  
mm

### FEATURES



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant

## GLOSSY FINISH

The glossy tiles have a charming appeal and smooth style that gives a space a beautiful and brilliant look. These shiny surfaces and their elegant designs are perfect to create a luxurious ambience for every corner of a space.

**exclusive**  
TILES



GLOSSY  
FINISH

exclusive  
TILES



F4001

[4] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance




Random  
Designs



Chemical  
Resistant





**F4002** [3] Random



**F4003** [3] Random



**F4004** [3] Random



**F4005** [4] Random

Glazed  
Vitrified Tiles

600x  
1200mm


600x  
600mm

[9mm]  
Thickness

-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant




**F4006** [4] Random



**F4007** [4] Random



**F4008** [3] Random



**F4009** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**


**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption


 **Scratch  
Resistance**

 **Random  
Designs**


 **Chemical  
Resistant**




**F4010** [3] Random



**F4011** [4] Random



**F4012** [4] Random



**F4013** [3] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4014

[5] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant




GLOSSY  
FINISH


**exclusive**  
TILES




**F4015** [3] Random



**F4016** [3] Random



**F4017** [4] Random



**F4018** [3] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**



**F4019** [4] Random



**F4020** [4] Random



**F4021** [2] Random



**F4022** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption


 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4023

[2] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption




Scratch  
Resistance



Random  
Designs



Chemical  
Resistant





**F4024** [2] Random



**F4025** [5] Random



**F4026** [4] Random



**F4027** [3] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**




**F4028** [4] Random




**F4029** [4] Random



**F4030** [4] Random



**F4031** [4] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4032** [4] Random




**F4033** [4] Random



**F4034** [4] Random



**F4035** [4] Random



GLOSSY  
FINISH

**exclusive**  
TILES



**F4036** [4] Random



**F4037** [4] Random



**F4038** [4] Random



**F4039** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**

GLOSSY  
FINISH


**exclusive**  
TILES



**F4040** [3] Random




**F4041** [3] Random



**F4042** [4] Random



**F4043** [4] Random



-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4044** [4] Random



**F4045** [4] Random



**F4046** [2] Random



**F4047** [3] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4048** [4] Random




**F4049** [4] Random



**F4050** [4] Random



**F4051** [4] Random




-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4052** [3] Random




**F4053** [3] Random



**F4054** [3] Random



**F4055** [3] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**




**F4056** [3] Random



**F4057** [3] Random



**F4058** [4] Random



**F4059** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**



**F4060** [4] Random



**F4061** [3] Random



**F4062** [3] Random



**F4063** [3] Random



-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant




**F4064** [3] Random



**F4065**



**F4066** [3] Random



**F4067**

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness





**F4068** [4] Random



**F4069** [3] Random



**F4070** [3] Random



**F4071** [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

 <0.08%  
Water  
Absorption

 Scratch  
Resistance

 Random  
Designs

 Chemical  
Resistant

GLOSSY  
FINISH

**exclusive**  
TILES




**F4072** [4] Random




**F4073** [4] Random



**F4074** [3] Random



**F4075** [2] Random



-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4076

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



GLOSSY  
FINISH

**exclusive**  
TILES



**F4077** [4] Random



**F4078** [4] Random



**F4079** [4] Random




**F4080** [4] Random



[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)

-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**




**F4081** [3] Random




**F4082** [4] Random



**F4083** [4] Random



**F4084** [4] Random



-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant

GLOSSY  
FINISH

exclusive  
TILES



F4085

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant





**F4086** [3] Random



**F4087** [4] Random



**F4088** [4] Random



**F4089** [4] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant




**F4090** [3] Random



**F4091** [3] Random



**F4092** [2] Random




**F4093** [2] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4094

[3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



**F4095** [3] Random



**F4096** [3] Random



**F4097** [4] Random



**F4098** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **< 0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**

GLOSSY  
FINISH

**exclusive**  
TILES



**F4099** [4] Random




**F4100** [4] Random



**F4101** [4] Random



**F4102** [4] Random



[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)

-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4103** [4] Random



**F4104** [4] Random



**F4105** [4] Random



**F4106** [4] Random



GLOSSY  
FINISH

**exclusive**  
TILES



**F4107** [4] Random




**F4108** [4] Random



**F4109** [4] Random



**F4110** [4] Random



[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)

-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**




**F4111** [3] Random



**F4112** [3] Random



**F4113** [2] Random



**F4114** [3] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4115

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption




Scratch  
Resistance



Random  
Designs




Chemical  
Resistant






**F4116** [3] Random




**F4117** [3] Random



**F4118** [4] Random




**F4119** [4] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4120

[2] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption




Scratch  
Resistance



Random  
Designs



Chemical  
Resistant





**F4121** [2] Random




**F4122** [2] Random



**F4123** [4] Random



**F4124** [4] Random






**F4125** [4] Random




**F4126** [4] Random




**F4127** [4] Random



**F4128** [3] Random





**F4129** [4] Random



**F4130** [2] Random



**F4131** [3] Random



**F4132** [3] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4133** [4] Random




**F4134** [3] Random



**F4135** [3] Random



**F4136** [3] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

GLOSSY  
FINISH

exclusive  
TILES



F4137

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant






**F4138** [3] Random



**F4139** [3] Random



**F4140** [3] Random




**F4141** [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm


600x  
600mm

[9mm]  
Thickness






**F4142** [3] Random




**F4143** [3] Random




**F4144** [3] Random



**F4145** [3] Random



-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**




**F4146** [4] Random



**F4147** [3] Random



**F4148** [4] Random



**F4149** [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

 <0.08%  
Water  
Absorption

 Scratch  
Resistance

 Random  
Designs

 Chemical  
Resistant

GLOSSY  
FINISH

**exclusive**  
TILES



**F4150** [4] Random



**F4151** [3] Random



**F4152** [4] Random



**F4153** [4] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**



**F4154** [3] Random



**F4155** [3] Random



**F4156** [3] Random



**F4157** [3] Random

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

 **<0.08%**  
Water  
Absorption

 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**



**F4158** [4] Random




**F4159** [4] Random



**F4160** [4] Random



**F4161** [4] Random



GLOSSY  
FINISH

**exclusive**  
TILES



**F4162** [3] Random




**F4163** [3] Random



**F4164**



**F4165** [2] Random



-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant

# TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	EXCLUSIVE TILES VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%
Deviation in Thickness	ISO 10545-2	± 5%	± 3%
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%
mohs Hardness	EN-101	Min. 5	Min. 5
Flexural Strength	ISO 10545-4	>35N/mm <sup>2</sup>	>40N/mm <sup>2</sup>
Skid Resistance	ISO 10545-17	>0.4	>0.4
Breaking Strength	ISO 10545-11	>1113N	>1800N
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
Moisture Expansion	ISO 10545-10	Null	Null
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV
<b>CHEMICAL PROPERTIES</b>			
Chemicals Resistance	ISO 10545-13	No Damage	No Damage
Color Resistance	ISO 10545-16	No Damage	No Damage
Stain Resistance	ISO 10545-14	Resistant	Resistant

**exclusive**  
TILES

# PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.

## OUR GROUP OF COMPANIES

---

**Notto**  
GRANITO LLP

**geotech**

**ROYAL**  
EXPORTER

**Geo Gres**  
the perfect surface

**EDDICA**  
CERAMICS

**exclusive**  
TILES

### **EXCLUSIVE TILES**

1101, Nakshatra Heights,  
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA  
Email : [export@exclusivetiles.co.in](mailto:export@exclusivetiles.co.in)

[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)

