

PRODUCT  
CATALOGUE

**exclusive**  
TILES

URBAN-  
INSPIRED  
VIEW OF  
A SPACE

**600  
x1200  
mm** Glazed  
vitrified  
tiles



## COMPANY PROFILE

Exclusive Tiles was founded in 2009, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, Exclusive's product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Exclusive has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Exclusive Tiles continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



EXCLUSIVE TILES  
FACTORY

01

## COMPANY STRENGTHS

04

High-end  
Technology  
Installed

1500

100%  
Satisfied  
Customers

30+

Export  
Countries

30,000

Production Capacity  
(Sq. Mts. Per Day)

04

Factories to Cater  
Wide Range of  
Products

Exclusive Tiles is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

# INNOVATIVE TECHNOLOGY

At Exclusive tiles, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



# TECHNOLOGY INSTALLED AT THE PLANT



With high-end technology installed at our facility, we produce the best quality of tiles.



MASTER  
PIECE OF  
CERAMIC  
CRAFTSMANSHIP

600X  
1200MM

Glazed  
Vitrified Tiles

## AVAILABLE SIZES IN POLISHED VITRIFIED TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE  
[9MM] THICKNESS  
IN ALL SIZES

300  
x600  
mm

600  
x600  
mm

600  
x1200  
mm

200  
x1200  
mm

800  
x800  
mm

### FEATURES



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant

# RUSTIC FINISH

The Rustic finish tiles have a unique appeal to them. They have a raw and natural look with a touch of sophistication that helps to highlight a space. Our rustic tiles come in various sensational designs that provide the ultimate styling experience for a space.

**exclusive**  
TILES



RUSTIC  
FINISH

exclusive  
TILES



F4401

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs




Chemical  
Resistant





F44O2 [3] Random



F44O3 [3] Random



F44O4 [3] Random




F44O5 [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



RUSTIC  
FINISH

exclusive  
TILES



F4406

[3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant

[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)






**F4407** [3] Random



**F4408** [3] Random



**F4409** [3] Random







**F4410** [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant



**F4411** [4] Random




**F4412** [4] Random








**F4413** [4] Random



**F4414** [4] Random



-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4415** [4] Random





**F4416** [4] Random



**F4417** [4] Random




**F4418** [4] Random



RUSTIC  
FINISH

exclusive  
TILES



F4419

[4] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



**F4420** [4] Random




**F4421** [4] Random







**F4422** [3] Random



**F4423** [3] Random



-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



**F4424** [3] Random




**F4425** [3] Random







**F4426** [3] Random




**F4427** [3] Random



-  **< 0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**

RUSTIC  
FINISH

exclusive  
TILES



F4428

[2] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant

[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)



**F4429** [4] Random




**F4430** [4] Random







**F4431** [4] Random




**F4432** [4] Random



-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant





F4433

[4] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs




Chemical  
Resistant






F4434



[4] Random



F4435




[4] Random


Glazed  
Vitrified Tiles


600x  
1200mm


600x  
600mm

[9mm]  
Thickness

 <0.08%  
Water  
Absorption

 Scratch  
Resistance

 Random  
Designs

 Chemical  
Resistant



**F4436** [4] Random



**F4437** [4] Random



**F4438** [4] Random







**F4439** [2] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant



**F4440** [2] Random



**F4441** [2] Random



**F4442** [2] Random




**F4443** [2] Random


Glazed  
Vitrified Tiles


**600x  
1200mm**


**600x  
600mm**

**[9mm]**  
Thickness

 **< 0.08%**  
Water  
Absorption


 **Scratch  
Resistance**

 **Random  
Designs**

 **Chemical  
Resistant**



F4444 [2] Random



F4445 [2] Random



F4446







F4447

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

 <0.08%  
Water  
Absorption
  Scratch  
Resistance
  Random  
Designs
  Chemical  
Resistant



**F4448** [3] Random



**F4449** [3] Random



**F4450** [2] Random







**F4451** [2] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

-  < 0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant



**F4452** [2] Random





**F4453** [2] Random



**F4454** [2] Random



**F4455** [2] Random





F4456 [4] Random




F4457 [3] Random







F4458 [3] Random



F4459 [3] Random



-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant





**F4460** [3] Random



**F4461**



**F4462** [3] Random







**F4463** [3] Random

Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness

-  <0.08%  
Water  
Absorption
-  Scratch  
Resistance
-  Random  
Designs
-  Chemical  
Resistant

# WOOD FINISH

The wood finish tiles bring the charm and elegance of natural wood to a space with the comfort and functionality of ceramic tiles. These tiles keep a place connected to the environment while filling the ambience with freshness and a stylish appeal.

**exclusive**  
TILES






F4601



[4] Random



600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



F4602



[4] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



WOOD  
FINISH

exclusive  
TILES



F4603

[3] Random

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant





F4604



[3] Random



600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



<0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant



F4605



[3] Random



F4606




[4] Random


Glazed  
Vitrified Tiles


600x  
1200mm


600x  
600mm

[9mm]  
Thickness

 <0.08%  
Water  
Absorption

 Scratch  
Resistance

 Random  
Designs

 Chemical  
Resistant



F4607



[3] Random



Glazed  
Vitrified Tiles

600x  
1200mm

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant





**F4608** [3] Random



**F4609** [4] Random



**F4610**







**F4611**

Glazed  
Vitrified Tiles

**600x  
1200mm**

**600x  
600mm**

**[9mm]**  
Thickness

-  **<0.08%**  
Water  
Absorption
-  **Scratch  
Resistance**
-  **Random  
Designs**
-  **Chemical  
Resistant**



F4612

600x  
1200mm

Glazed  
Vitrified Tiles

600x  
600mm

[9mm]  
Thickness



< 0.08%  
Water  
Absorption



Scratch  
Resistance



Random  
Designs



Chemical  
Resistant

## OUR GROUP OF COMPANIES

**Notto**  
GRANITO LLP

**geotech**<sup>®</sup>

**ROYAL**  
EXPORTER

**Geo Gres**  
We perfect nature

**EDDICA**  
CERAMICS

**exclusive**  
TILES

### EXCLUSIVE TILES

1101, Nakshatra Heights,  
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA  
Email : [export@exclusivetiles.co.in](mailto:export@exclusivetiles.co.in)

[www.exclusivetiles.co.in](http://www.exclusivetiles.co.in)

